
## Smart connection to intelligent Profibus devices



Omron recognises that many advanced machines require specialised and often complex devices from diverse manufacturers to be used to achieve the desired machine functionality. Previously solutions required the use of specific 3rd party stand-alone software to configure, operate and maintain these devices, even when they are installed and working on the same Profibus network.

CX-Profibus allows all of this advanced functionality to be included inside the Profibus configuration software using open FDT/DTM\* technology. This technology enables control system manufacturers to provide customers with an optimised display of all functions and data.

## One software suite

CX-Profibus is integrated within the Omron suite of CX-software. This suite of software uses a common communications platform, CX-Server, to allow a single point for programming, configuring or monitoring a complete machine. This single connection point can be either a local serial or network connection, but can also be a wireless 'Bluetooth' connection or modem connection.


\* Field Device Tool and Device Type Manager.



FDT/DTM provides a standard for interfaces between an engineering tool such as Omron's CX-Profibus and software components that support the field device. The core of the concept is the DTM, a software component that can be used in all software tools supporting the FDT human interface. The DTM is the configuration and management component for a field device. It contains all configuration information, diagnostics, maintenance information and even graphical user dialogs of the specific device, and is very easy to load into Omron's CX-Profibus.

## Support of both GSD files & DTMs

Most of the current Profibus-DP slave devices are supplied with a GSD file. Omron's CX-Profibus uses DTMs for configuration and diagnostics. To be able to support devices that do not come with a DTM yet Omron has developed a special Generic Slave DTM. The Generic Slave DTM reads the existing GSD file and converts it into a DTM that is supported in CX-Profibus. This DTM then provides the user interface to display the device's information as defined in the GSD. Additionally, this DTM provides a diagnostics interface to the user. This feature protects your previous Profibus investments, whilst allowing you to use the latest technology at the same time!





## Ordering information

Product Name	Product Description
CX-Profibus	Configuration software for Omron Profibus networks

OMRON EUROPE B.V. Wegalaan 67-69, NL-2132 JD, Hoofddorp, The Netherlands. Tel: +31 (0) 23 568 13 00 Fax: +31 (0) 23 568 13 88 www.europe.omron.com

**Austria** Tel: +43 (0) 1 80 19 00 www.omron.at

**Belgium** Tel: +32 (0) 2 466 24 80 www.omron.be

Czech Republic Tel: +420 234 602 602 www.omron.cz

Denmark

Tel: +45 43 44 00 11 www.omron.dk

**Finland** Tel: +358 (0) 9 549 58 00 www.omron.fi

France Tel: +33 (0) 1 56 63 70 00 www.omron.fr

**Germany** Tel: +49 (0) 2173 680 00 www.omron.de

**Hungary** Tel: +36 (0) 1 399 30 50 www.omron.hu

Italy Tel: +39 02 32 681 www.omron.it

**Netherlands** Tel: +31 (0) 23 568 11 00 www.omron.nl

**Norway** Tel: +47 (0) 22 65 75 00 www.omron.no

Poland

Tel: +48 (0) 22 645 78 60 www.omron.com.pl

**Portugal** Tel: +351 21 942 94 00 www.omron.pt

**Russia** Tel: +7 095 745 26 64 www.omron.ru

Tel: +34 913 777 900 www.omron.es

Sweden

Tel: +46 (0) 8 632 35 00 www.omron.se

Switzerland Tel: +41 (0) 41 748 13 13 www.omron.ch

**Turkey** Tel: +90 (0) 216 474 00 40 www.omron.com.tr

United Kingdom Tel: +44 (0) 870 752 08 61 www.omron.co.uk

For the Middle East, Africa and other countries in Eastern Europe, Tel: +31 (0) 23 568 13 00 www.europe.omron.com

